ABSTRACT OF THE DISCLOSURE

There is disclosed a method including an applying step of applying a sealing agent onto either one of two substrates, a dropping step of dropping a predetermined amount of a liquid crystal onto either one of the two substrates, a leaving step of leaving the substrate on which the liquid crystal has been dropped to stand under a reduced pressure atmosphere for a predetermined time, and a bonding step of bonding the two substrates onto each other under the reduced pressure atmosphere, after leaving the substrate on which the liquid crystal has been dropped under the reduced pressure atmosphere for the predetermined time.